

PFQTTM

PEM® SIDE ACTUATED QUARTER-TURN LOCKABLE PLUNGER



PEM® SIDE ACTUATED PANEL FASTENER

Side lever actuation provides convenient connections when vertical space is limited

The PFQTL™ panel fastener addresses the limitations of traditional slide plungers by preventing accidental unlocking during vibration or mis-operation, providing superior reliability in demanding applications. The quarter-turn mechanism provides superior holding strength of the pin in the extended

free operation, combining security with ease of use.

The positive engagement system of the PFQTL™ fastener gives operators confidence in secure attachment and reduces the risk of panel displacement during equipment operation - ensuring consistent performance throughout the service cycle.

position compared to spring loaded designs while maintaining the convenience of tool-

Fool-Proof Design

Integrated mechanism positively locks plunger pin in the engaged position, for reliable fastening

Quarter-Turn Operation

Intuitive 90-degree rotation provides positive engagement with clear visual and tactile feedback

• Enhanced Vibration Resistance


Spring compliance and secure locking mechanism maintain connection integrity under dynamic conditions

Versatile Configuration Options

Available in left and right-hand turn directions to accommodate diverse design requirements


Durable Construction

Retainer and plunger are hardened carbon steel with protective zinc plating ensure long service life




Fastener drawings and models are available at www.pemnet.com. Custom sizes are available on special order. Contact us for more information.

Dimensional Data



Part Number Designation




PFQT plunger is available in left and righthand turn directions to accommodate diverse design requirements

Туре	Plunger Dia. Code	Plunger Length Code	(Sha	A ank) ax.	ı	Sheet (ness	Hole S Sho +.003" - +0.08	eet	Ma	C ax.	±.00	D 04" / Imm	±.02 ±0.5		±.02 ±0.5	-	±.0	:3 20"/ 5mm	±.03 ±0.5	20"/	±.0; ±0.5		±.0: ±0.6		F.02 +.02 000 +0.5		No	T om.		
		oodo	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	in.	mm		
PFQTL	4.6	4	000		000		050	6.4	051	0.00	101	4.0	001	10.0	010	00	F00	10.0	0.41	00.0	600	10	150		670	171	F10	10		
PFQTR	4.6	4	.032 0.	.032 0.8	.032	0.8	.032	0.8	.252	6.4	.251	6.38	.löi	4.6	.661	16.8	.910	23	.520	13.2	.941	23.9	.630	16	.158	4	.673	17:1	.512	13

Locked

Material and Finish Specifications

Unlocked



			Faste	ner Materials			For Use in Sheet Hardness: ⁽¹⁾		
Item	Component Carbon Steel		Hardened Carbon Steel	300 Series Stainless Steel Polycarbonate (UL 94V-0, Halogen Free) (2)		Pantone 279C	Zinc plated per ASTM B633, SC1 (5ųm), Type III, Colorless ⁽³⁾	Natural Finish	HRB 80 / HB 150 or less
Α	Pin		-				-		
В	Сар						=		
С	Retainer 1		-				=		-
D	Spring (not shown)			-					
E	Handle				-				
F	Retainer 2				•	•			·


- (1) HRB Hardness Rockwell "B" Scale. HB Hardness Brinell.
- (2) Temperature Limit: 210° F (99° C). Additional cap colors available on special order.
 (3) See PEM Technical Support section of our web site for related plating standards and specifications.

Installation

- Prepare properly sized mounting hole in sheet. Do not perform any secondary operations such as deburring.
- Place the assembly in the anvil and then place the sheet over the shank of the fastener.
- With punch and anvil surfaces parallel, rotate the assembly to the desired orientation in the panel and then apply squeezing force to embed the fastener in the sheet.

	Punch Di	mensions	Anvil Dir	nensions	HAEGER® Part Number			
Туре	H1 ±.020" / ±0.5mm	K1 ±.020" / ±0.5mm	H2 ±.020" / ±0.5mm	K2 ±.020" / ±0.5mm	Anvil	Punch		
PFQT	.394" / 10mm	.945" / 24mm	.197" / 5mm	.201" / 5.1mm	H-152-4.6	H-143-4.6		

PFQT fasteners are supplied in the locked position.



Performance Data(1)

Ī	Туре	Diameter Code	Test Sheet Material	Instal	lation	Retainer Pushout			
	турс	Diameter odde	lest offeet material	lbs.	N	lbs.	N		
ſ	PFQTL	4.6	Cold-rolled Steel	2000	8900	79	350		

(1) Published installation forces are for general reference. Actual set-up and confirmation of complete installation should be made by observing proper seating of fastener as described in the installation steps. Other performance values reported are averages when all proper installation parameters and procedures are followed. Variations in mounting hole size, sheet material, and installation procedure may affect performance. Performance testing this product in your application is recommended. We will be happy to provide technical assistance and/or samples for this purpose.

All PEM® products meet our stringent quality standards. If you require additional industry or other specific <u>quality certifications</u>, special procedures and/or part numbers are required. Please contact your local sales office or representative for further information.

Regulatory <u>compliance information</u> is available in Technical Support section of our website. Specifications subject to change without notice. See our website for the most current version of this bulletin.



North America: Danboro, Pennsylvania USA | E-mail: info@pemnet.com | Tel: +1-215-766-8853 | 800-237-4736 (USA)

Europe: Galway, Ireland | E-mail: europe@pemnet.com | Tel: +353-91-751714 **Asia/Pacific:** Singapore | E-mail: singapore@pemnet.com | Tel: +65-6-745-0660 **Kunshan, China:** E-mail: salesgreaterchina@pemnet.com | Tel: +86-0512-57269630

Visit our PEMNET™ Resource Center at www.pemnet.com * Technical support e-mail: techsupport@pemnet.com

PFQT-6